

# Package: amanida (via r-universe)

October 22, 2024

**Title** Meta-Analysis for Non-Integral Data

**Version** 0.3.0

**Description** Combination of results for meta-analysis using significance and effect size only. P-values and fold-change are combined to obtain a global significance on each metabolite. Produces a volcano plot summarising the relevant results from meta-analysis. Vote-counting reports for metabolites. And explore plot to detect discrepancies between studies at a first glance. Methodology is described in the Llambrich et al. (2021) <[doi:10.1093/bioinformatics/btab591](https://doi.org/10.1093/bioinformatics/btab591)>.

**License** GPL-3

**URL** <https://github.com/mariallr/amanida>

**Depends** R (>= 4.1)

**Imports** dplyr (>= 1.0.0), ggplot2 (>= 3.3.0), ggrepel (>= 0.9.0), kableExtra (>= 1.3.0), knitr (>= 1.45), methods (>= 3.6.0), readr (>= 1.0.0), readxl (>= 1.0.0), rmarkdown (>= 2.25), stats (>= 3.6.0), tibble (>= 3.0.0), tidyr (>= 1.1.0), tidyverse (>= 1.3.0), webchem (>= 1.1.0)

**Suggests** markdown, metaboliteIDmapping, testthat, vdiff

**VignetteBuilder** knitr

**Encoding** UTF-8

**LazyData** true

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.2.2

**Repository** <https://mariallr.r-universe.dev>

**RemoteUrl** <https://github.com/mariallr/amanida>

**RemoteRef** HEAD

**RemoteSha** 8eaf5d1afc903d0e03c9cb22eaa7d63e24aae729

## Contents

amanida . . . . .	2
amanida_palette . . . . .	3
amanida_read . . . . .	3
amanida_report . . . . .	4
amanida_vote . . . . .	5
check_names . . . . .	6
compute_amanida . . . . .	7
explore_plot . . . . .	8
getsampleDB . . . . .	9
METAtables-class . . . . .	9
sample_data . . . . .	9
volcano_plot . . . . .	10
vote_plot . . . . .	11
<b>Index</b>	<b>12</b>

---

amanida	<i>amanida</i>
---------	----------------

---

## Description

amanida: A package for Meta-Analysis with non-integral data

## Author(s)

Maria Llambrich, Eudald Correig and Raquel Cumeras

Results combination for meta-analysis using only significance and effect size.

- P-values and fold-change are combined to obtain a global significance on each metabolite.
- Produces a volcano plot summarizing the relevant results from meta-analysis.
- Qualitative meta-analysis for metabolites
- Graphical representation of qualitative analysis by bar plot
- Trend explore plot to detect discrepancies between studies at a first glance

## See Also

Useful links:

- <https://github.com/mariallr/amanida>

---

amanida_palette	<i>Get nice colour-blind colours</i>
-----------------	--------------------------------------

---

**Description**

Get nice colour-blind colours

**Usage**

```
amanida_palette()
```

**Value**

vector of colours

---

amanida_read	<i>Import data</i>
--------------	--------------------

---

**Description**

amanida\_read imports the data and formats for compute\_amanida or amanida\_vote functions

**Usage**

```
amanida_read(file, mode, coln, separator = NULL)
```

**Arguments**

file	path to file
mode	indicate if data will be quantitative or qualitative. Options are: <ul style="list-style-type: none"><li>• "quan" for quantitative meta-analysis using p-value and fold-change</li><li>• "qual" for qualitative meta-analysis using trend label</li></ul>
coln	columns names to use. It has to be in order identification, p-values, fold-changes, sample size and reference.
separator	the separator used on file

**Details**

Note that amanida\_read skips rows with missing values or NA. Negatives values for fold-change are transformed to positive (1/value).

Formats compatible are csv, xlsx, xls or txt.

**Value**

tibble table with data imported

**Examples**

```
coln <- c("Compound Name", "P-value", "Fold-change", "N total", "References")
input_file <- getsampleDB()
datafile <- amanida_read(input_file, mode = "quan", coln, separator=";")
```

---

amanida_report	<i>Report</i>
----------------	---------------

---

**Description**

amanida\_report creates a report from the data using amanida functions

**Usage**

```
amanida_report(
  input_file,
  separator = NULL,
  analysis_type = NULL,
  column_id,
  pvalue_cutoff = NULL,
  fc_cutoff = NULL,
  votecount_lim,
  path = NULL,
  comp_inf = NULL
)
```

**Arguments**

input_file	path to the original dataset in xlsx, xls, csv or txt format
separator	indicate the separator used in the input_file parameter
analysis_type	indicate if data will be quantitative, qualitative or both. Options are: <ul style="list-style-type: none"> <li>• "quan-qual" for quantitative and qualitative meta-analysis</li> <li>• "quan" for quantitative meta-analysis using p-value and fold-change</li> <li>• "qual" for qualitative meta-analysis using trend label</li> </ul>
column_id	vector containing columns names to use. It has to be in order identification, p-values, fold-changes, sample size and reference.
pvalue_cutoff	numeric value to consider statistical significance
fc_cutoff	numeric value to consider significance for effect size
votecount_lim	minimum numeric value for vote-counting visualization
path	path to the directory where html file is created, otherwise the file will be saved in a temporal folder
comp_inf	name checking using information from public databases

## Details

This function uses directly the dataset to create a report with the meta-analysis results. In case of quantitative analysis `amanida_report` uses the functions `amanida_read` and `compute_amanida` for analyse the input data. Then the results are showed using `volcano_plot`, `explore_plot` and `vote_plot`.

## Value

an html document saved in the working directory

## Examples

```
## Not run:
column_id = c("Compound Name", "P-value", "Fold-change", "N total", "References")
input_file <- getsampleDB()

amanida_report(input_file, separator = ";", column_id, analysis_type = "quan",
               pvalue_cutoff = 0.05, fc_cutoff = 4, votecount_lim = 2,
               comp_inf = F)

## End(Not run)
```

---

amanida\_vote

*Qualitative meta-analysis*

---

## Description

`amanida_vote` performs vote-counting on qualitative data.

## Usage

```
amanida_vote(data)
```

## Arguments

`data` data imported using `amanida_read` function w/o names checked by `check_names`

## Details

Vote-counting is computed without trend division. Punctuation of entries is based on trend, up-regulation gives 1, down-regulation give -1 and equal behavior gives 0. Total sum is divided then by the total number of entries on each compound. Compound combination is made with PubChem CID when is available.

Note that `amanida_vote` skips rows with missing values or NA.

Formats compatible are csv, xlsx, xls or txt.

**Value**

METAtable S4 object with vote-counting for each compound on @slot vote

**Examples**

```
## Not run:  
coln = c("Compound Name", "Behaviour", "References")  
input_file <- system.file("extdata", "dataset2.csv", package = "amanida")  
data_votes <- amanida_read(input_file, mode = "qual", coln, separator = ";")  
  
vote_result <- amanida_vote(data_votes)  
  
## End(Not run)
```

---

check\_names

*Amanida harmonization*

---

**Description**

check\_names check the names to harmonize them to a common nomenclature. Valid names are: chemical name, InChI, InChIKey and SMILES.

**Usage**

```
check_names(data)
```

**Arguments**

data                    data imported using amanida\_read function

**Details**

Note that check\_names depends on webchempackage and it slows down the process.

Formats compatible are amanida\_read output

**Value**

tibble table with data imported with PubChem ID retrieved

**Examples**

```
## Not run:  
coln <- c("Compound Name", "P-value", "Fold-change", "N total", "References")  
input_file <- getsampleDB()  
datafile <- amanida_read(input_file, mode = "quan", coln, separator=";")  
  
data_checked <- check_names(datafile)
```

```
## End(Not run)
```

---

compute_amanida	<i>Combine statistical results and compute vote-counting</i>
-----------------	--

---

## Description

compute\_amanida Combines for the same entry or metabolite the statistical values of p-value and fold-change. Also is computed a vote-counting for each compound. Compound combination is made with PubChem CID when is available.

## Usage

```
compute_amanida(datafile, comp.inf = F)
```

## Arguments

datafile	data imported using amanida_read function w/o names checked by check_names
comp.inf	include compounds IDs from PubChem, InChIKey, SMILES, KEGG, ChEBI, HMDB, Drugbank, Molecular Mass and Molecular Formula

## Details

Entries corresponding to metabolites are combined as follows:

- P-values are combined using Fisher method weighted by N and gamma distribution
- Fold-change are combined by weighted mean. Transformation works with fold-change transformed to log scale with base 2.

Vote-counting is computed based on votes. Punctuation of entries is based on trend, up-regulation gives 1, down-regulation give -1 and equal behavior gives 0. Total sum is divided then by the total number of entries on each compound.

## Value

METAtable S4 object with p-value combined, fold-change combined and vote-counting for each compound

## Examples

```
## Not run:  
data("sample_data")  
  
compute_amanida(sample_data)  
  
## End(Not run)
```

---

`explore_plot`*Plot for compounds divergence in reports*

---

**Description**

`explore_plot` creates a bar-plot showing the votes divided in up-regulated and down-regulated and the global result for each compound.

**Usage**

```
explore_plot(data, type = "all", counts = NULL)
```

**Arguments**

<code>data</code>	an tibble obtained by <code>amanida_read</code> w/o names checked by <code>check_names</code>
<code>type</code>	select the subset of data to plot. Options are: <ul style="list-style-type: none"><li>• "all": all data will be displayed</li><li>• "sub": only data over counts value will be displayed. Need counts value.</li><li>• "mix": will display data over count value and elements with reports in both trends. Need counts value.</li></ul>
<code>counts</code>	value of vote-counting cut-off. Will be only displayed data over the cut-off.

**Details**

Sum of votes divided by trend are plotted, then is obtained the total result by compound summing both trends.

**Value**

a `ggplot` bar-plot showing the sum of votes for each compound divided by the trend

**Examples**

```
data("sample_data")
```

```
explore_plot(sample_data, type = "mix", counts = 1)
```



---

getsampleDB                      *Function to sample data path*

---

**Description**

Function to sample data path

**Usage**

getsampleDB()

---

METAtables-class                      *An S4 class to return results from compute\_amanida or amanida\_vote function*

---

**Description**

An S4 class to return results from compute\_amanida or amanida\_vote function

**Slots**

stat results for statistics combining p-values and fold-changes  
 vote vote-counting for metabolites

---

sample\_data                      *Example input data for the amanida function*

---

**Description**

A dataset containing results from meta-analysis of metabolomic studies

**Usage**

sample\_data

**Format**

A data frame with 143 rows and 6 variables:

- id** Name of the compound under study
- pvalue** P-value
- foldchange** Fold-change
- N** Number of samples of the compound
- ref** References
- trend** Trend: 1 (up), -1 (down) or 0 (none)

---

volcano_plot	<i>Volcano plot of combined results</i>
--------------	---

---

### Description

volcano\_plot returns a volcano plot of the combined results on each metabolite obtained by compute\_amanida function

### Usage

```
volcano_plot(mets, cutoff = NULL)
```

### Arguments

mets	an S4 METAtables object
cutoff	values for p-value and fold-change significance

### Details

Results are presented as  $-\log_{10}$  for p-value and  $\log_2$  for fold-change. Values over the cut off are labeled. If not cutoff is provided will be used alpha 0.05 for p-value and 1.5 for logarithmic fold-change.

### Value

plot of results

### Examples

```
## Not run:  
data("sample_data")  
  
amanida_result <- compute_amanida(sample_data)  
volcano_plot(amanida_result)  
  
## End(Not run)
```

---

vote_plot	<i>Bar-plot for compounds vote-counting</i>
-----------	---

---

**Description**

vote\_plot creates a bar-plot showing the vote-count for each compound.

**Usage**

```
vote_plot(mets, counts = NULL)
```

**Arguments**

mets	an S4 METAtables object obtained by compute_amanida or amanida_vote.
counts	value of vote-counting cut-off. Will be only displayed data over the cut-off.

**Details**

Vote-counting is the sum of number of reports up-regulated and the subtraction of reports down-regulated.

**Value**

a ggplot bar-plot showing the vote-count per compound

**Examples**

```
## Not run:  
data("sample_data")  
result <- compute_amanida(sample_data)  
vote_plot(result)  
  
## End(Not run)
```

# Index

## \* datasets

sample\_data, 9

amanida, 2

amanida-package (amanida), 2

amanida\_palette, 3

amanida\_read, 3

amanida\_report, 4

amanida\_vote, 5

check\_names, 6

compute\_amanida, 7

explore\_plot, 8

getsampleDB, 9

METAtables (METAtables-class), 9

METAtables-class, 9

sample\_data, 9

volcano\_plot, 10

vote\_plot, 11